

C10FSHPS 10" Sliding Dual Compound Miter Saw with Laser Marker

Includes:

- 10" 40T TCT Saw Blade (310878)
- Pivoting Flip Fence (321385)
- 10mm Box Wrench (940543)
- Dust Bag (998845)

Features:

- **Adjustable laser marker** for precise cutting lines easily adjustable to users preference
- **12 Amp motor** for the toughest cutting jobs
- **57 Degree miter angle to the right, for ultra flexibility with 45 degree miter angle to the left**
- **0-45 Degree bevel angle range, to the right and left** allowing users to quickly and easily flip the saw blade and leave the material in place
- **Positive stops on miter and bevel scale**, for easy to read measurements and quick settings
- **Linear ball bearing slide system** with white on black miter scale for superior accuracy and visibility
- **Electronic speed control** maintains RPM while cutting, and improves control
- **Soft start function** reduced noise and recoil during start-up
- **Adjustable pivot fence** broadly supports work piece for improved stability while cutting
- **Electric brake feature** halts the rotation of the blade within seconds preventing unintended cuts
- **Carbon brush access** allows user to replace brush as needed to greatly prolong the life of the tool
- **Highly efficient dust collector attachment** collects more dust than previous models
- **Splinter guard** prevents material from splintering and increases safety
- Download the [C10FSHPS Tool Card](#)

Includes:

- 10" 40T TCT Saw Blade (310878)
- Pivoting Flip Fence (321385)
- 10mm Box Wrench (940543)
- Dust Bag (998845)

Optional Accessories:

- Crown Molding Vice Assembly (321434)
- Left Stopper (321374)
- Right Stopper (321373)
- Right Sub-Fence Assembly (321387)

Specifications

Amps	12
Laser Marker	Yes
No-Load Speed	3,800 RPM

Blade Diameter	10"
Arbor Size	5/8"
Bevel Angle Range: R & L	0-45°
Bevel Cross Cut at 90° (L)	2-3/16" x 12"
Bevel Cross Cut at 90° (R)	1-3/16" x 12"
Bevel Stops: Right and Left	0° and 45°
Miter Angle Range: Right	0-57°
Miter Cross Cut at 57° (R)	3-11/32" x 6-1/2"
Miter Angle Range: Left	0-45°
Miter Cross Cut at 45° (L/R)	3-11/32" x 8-19/32"
Miter Detent Stops: Right and Left	0°, 15°, 22.5°, 31.6° and 45°
Miter 45° (L/R) + Bevel 45° (L)	2-3/16" x 8-19/32"
Miter 31° (L) + Bevel 45° (R)	1-3/16" x 10-7/32"
Miter 45° (L/R) + Bevel 45° (L)	1-3/16" x 8-19/32"
Weight	43 lbs
